I claim:

1	1. A method for providing an electronic document, said electronic
2	document having multiple versions, each of said versions having a time-stamp, said
3	method comprising the steps of:
4	receiving a request for said electronic document, said request including a
5	variable time-stamp; and
6	identifying versions of said electronic document corresponding to said
7	variable time-stamp.
1	2. The method according to claim 1, wherein an address identifying said
2	electronic document includes said time-stamp.
616)	3. The method according to claim 2, wherein said address is a Uniform
² 4X ³	'Resource Locator ("URL").
1	4. The method according to claim 3, wherein said Uniform Resource
2	Locator ("URL") has an associated request header for indicating said variable time stamp.
1	5. The method according to claim 1, wherein said request is specified
2	using a browser.
1	6. The method according to claim 1, wherein said request includes a
2	relative time stamp.
1	7. The method according to claim 1, wherein said variable time-stamp
2	includes a wildcard character.
	\

1	8. The method according to claim 1, wherein said variable time-stamp
2	includes a date range.
1	9. The method according to claim 1, further comprising the step of
2	displaying a list of the web resources that satisfy said variable time stamp.
1	10. The method according to claim 1, wherein said variable time-stamp
2	can be utilized to identify a version of said electronic document having an unknown time.
1	11. The method according to claim 10, further comprising the step of
2	displaying a list of said versions satisfying said variable time stamp.
1	12. The method according to claim 11, further comprising the step of
2	displaying said list of links in an order specified by a user.
1	13. A system for storing an electronic document having multiple versions,
2	said system comprising:
3	a memory for storing said multiple versions of said electronic document in
4	an archive of electronic documents; and
5	a processor operatively coupled to said memory, said processor configured
6	to:
7	receive a request for one of said versions of said electronic document, said
8	request including a variable time-stamp; and
9	identify versions of said electronic document corresponding to said
10	variable time-stamp.
1	14. The system according to claim 13, wherein an address identifying said
2	electronic document includes said time-stamp.

1 50	15. The system according to claim 14, wherein said address is a Uniform
2	Resource Locator ("URL").
1	16. The system according to claim 15, wherein said Uniform Resource
2	Locator ("URL") has an associated request header for indicating said variable time stamp.
1	17. The system according to claim 13, wherein said request is specified
2	using a browser.
	. /
1	18. The system according to claim 13, wherein said request includes a
2	relative time stamp.
۷	relative time stamp.
1	10.77
1	19. The system according to claim 13, wherein said variable time-stamp
2	includes a wildcard character.
1	20. The system according to claim 13, wherein said variable time-stamp
2	includes a date range.
1	21. The system according to claim 13, wherein said processor is further
2	configured to display a list of the web resources that satisfy said variable time stamp.
1	22. The system according to claim 13, wherein said variable time-stamp
2	can be utilized to identify a version of said electronic document having an unknown time.
1	23. The system according to claim 22, wherein said processor is further
2	configured to display a list of said versions satisfying said variable time stamp.
1	24. The system according to claim 23, wherein said processor is further
2	configured to display said list of links in an order specified by a user.
_	cominguist to display said list of filles in all older specified by a user.

1	25. An article of manufacture for accessing an electronic document, said
2	article of manufacture comprising:
3	a computer readable medium having computer readable program code
4	means embodied thereon, said computer readable program code means comprising
5	program code means for causing a computer to:
6	receive a request for one of said versions of said electronic document, said
7	request including a variable time-stamp; and
8	identify versions of said electronic document corresponding to said
9	variable time-stamp.